

## **CADRE**

C:62® Monocoque Advanced Twin Mold Technology, Aluminium 6061 T6 Rear Triangle, Efficient Trail Control, FSP 4-Link, Agile Trail Geometry, Boost 148, UDH™, Fully Integrated Battery, Advanced Internal Cable Routing

## **TAILLE**

Size Split: 27.5: S (16") // 29: M (18"), L (20"), XL (22")

## **FOURCHE SUSPENDUE**

RockShox 35 Silver TK Air, Tapered, 15x110mm, eMTB Approved, 150mm, Lockout

## **AMORTISSEUR**

RockShox Deluxe Select+, 205x60mm (27.5: 185x55mm), Rebound Adjust, Trunnion Mount, Lockout

## **ENTRETOISES D'AMORTISSEUR**

Top: 54mm Trunnion Mount, Bottom: 22.2x8mm

## **MOTEUR**

Bosch Drive Unit Performance CX Generation 4 (85Nm) Cruise (250Watt), Smart System



**BATTERIE** Bosch PowerTube 625



**TÉLÉCOMMANDE** Bosch LED Remote



**ÉCRAN** Bosch Kiox 300



**CHARGEUR** Bosch 4A

**FREIN**

Sram DB8, Hydr. Disc Brake (203/203)

**DÉRAILLEUR ARRIÈRE**

Shimano XT RD-M8100-SGS, ShadowPlus, 12-Speed

**LEVIERS**

Shimano Deore SL-M6100, Rapidfire-Plus

**PLATEAU**

ACID E-Crank, 165mm (27.5: 36T // 29: 34T)

**GUIDE DE CHAÎNE**

Reverse Flip-Guide E-Chain Guide, Direct Mount, GEN4

**CASSETTE**

Shimano Deore CS-M6100, 10-51T

**CHAÎNE**

Shimano CN-M6100

**CINTRE**

Newmen Evolution SL 318.25, 760mm

**POTENCE**

CUBE Performance Stem E-MTB, 31.8mm

**POIGNÉES**

ACID React Pro

**JEU DE DIRECTION**

ACROS AZF-1035, ICR (Integrated Cable Routing), BlockLock 120°, Top Zero-Stack 1 1/2" (ZS 56mm), Bottom Zero-Stack 1 1/2" (ZS 56mm)

**MOYEU AVANT**

CUBE Engineered By Newmen, 15mm, Boost, Centerlock

**MOYEU ARRIÈRE**

CUBE Engineered By Newmen, 12mm, Boost, Centerlock

**JANTES**

CUBE EX30, 32H, Disc, Tubeless Ready

**PNEUS**

Schwalbe Nobby Nic, PerfL, 2.6

**TIGE DE SELLE**

CUBE Dropper Post, Handlebar Lever, Internal Cable Routing, 31.6mm

**SELLE**

Natural Fit Venec

**POIDS**

24,1 kg