

cadre

C:62® Monocoque Advanced Twin Mold Technology, Aluminium 6061 T6 Rear Triangle, Efficient Trail Control, FSP 4-Link, Agile Trail Geometry, Boost 148, UDH™, Full Integrated Battery, Advanced Internal Cable Routing

taille

Size Split: 27.5: S // 29: M L XL

fourche suspendue

Fox 36 Float AWL, RAIL Damper, Tapered, 15x110mm, E-Bike Optimized, 150mm

amortisseur

Fox Float Rhythm R, 230x60mm (27.5: 210x55mm), Rebound Adjust

entretoises d'amortisseur

Front: 30x8mm, Rear: DU-Bushing 12,7mm

moteur

Bosch Drive Unit Performance Line CX 85Nm (BDU38), Smart System

**Télécommande**

Bosch System Control, incl. Mini Remote



[Voir les détails](#)

batterie
Bosch PowerTube 800



écran
Bosch Purion 400



chargeur
Bosch 2A



frein

Magura MT Thirty, Front 4-Piston/Rear 4-Piston, Hydr. Disc Brake (203/203)

dérailleur arrière

Shimano XT RD-M8100-SGS, ShadowPlus, 12-Speed

leviers

Shimano Deore SL-M6100, Rapidfire-Plus

plateau

ACID MTB Hybrid Pro, 27.5: 36T // 29: 34T

cassette

Shimano Deore CS-M6100, 10-51T

chaîne

KMC e12

guide de chaîne

Reverse Flip-Guide E-Chain Guide, Direct Mount, I-Plate

jeu de direction

ACROS AZF-675, ICR (Integrated Cable Routing), Top Zero-Stack 1 1/2" (ZS 56mm), Bottom Zero-Stack 1 1/2" (ZS 56mm), Fiber Inserts for Angle Adjustment

Potence

CUBE Performance Stem E-MTB 35, FPI-Link

cintre

CUBE Rise Trail Bar 35

poignées

ACID Disrupt

jantes

CUBE EX30, 32H, Disc, Tubeless Ready

moyeu avant

CUBE Engineered By Newmen, 15mm, Boost, 6-Bolt

moyeu arrière

CUBE Engineered By Newmen, 12mm, Boost, 6-Bolt

pneu avant

Schwalbe Hans Dampf, Addix Soft, Super Trail, Tubeless Easy, 2.6

pneu arrière

Schwalbe Hans Dampf, Addix Speedgrip, Super Trail, Tubeless Easy, 2.6

selle

ACID Venec EMTB Trail 140

tige de selle

CUBE Dropper Post, Handlebar Lever, Internal Cable Routing, 31.6mm