

cadre

C:62® Monocoque Advanced Twin Mold Technology, Aluminium 6061 T6 Rear Triangle, Efficient Trail Control, FSP 4-Link, Agile Trail Geometry, Boost 148, UDH™, Full Integrated Battery, Advanced Internal Cable Routing

taille

S, M, L, XL

fourche suspendue

Fox 38 Float Rhythm, 2-Position Sweep-Adjust GRIP Damper, Tapered, 15x110mm, E-Bike Optimized, 170mm

amortisseur

Fox Float X Performance, 230x65mm, Adjustable LSR w/ 2-Pos. Lever

entretoises d'amortisseur

Front: 30x8mm, Rear: DU-Bushing 12,7mm

Moteur Bosch Drive Unit Performance Line CX 85Nm (BDU38), Smart System



Télécommande Bosch System Control, incl. Mini Remote



batterie Bosch PowerTube 800



chargeur Bosch 4A



freins

Shimano XT BR-M8120, Hydr. Disc Brake (203/203)

dérailleur arrière

Shimano XT RD-M8100-SGS, ShadowPlus, 12-Speed

Commandes

Shimano XT SL-M8100-IR, Direct Attach

Pédalier

ACID MTB Hybrid Pro, 36T

cassette

Shimano Deore CS-M6100, 10-51T

chaîne

KMC e12

Guide-chaîne

Reverse Flip-Guide E-Chain Guide, Direct Mount, I-Plate

jeu de direction

ACROS AZF-675, ICR (Integrated Cable Routing), Top Zero-Stack 1 1/2" (ZS 56mm), Bottom Zero-Stack 1 1/2" (ZS 56mm), Fiber Inserts for Angle Adjustment

Potence

CUBE Performance Stem E-MTB 35, FPI-Link

cintre

CUBE Rise Trail Bar 35

poignées

ACID Disrupt, Soft Compound

roues

Newmen Performance 30, 28/32 Spokes (Base/Strong), 15x110mm / 12x148mm, Tubeless Ready

pneu avant

Schwalbe Magic Mary, Addix Soft, Super Trail, Kevlar, 2.4

pneu arrière

Schwalbe Tacky Chan, Addix Soft, Super Gravity, Kevlar, 2.4

selle

ACID Venec EMTB Trail 140

tige de selle

CUBE Dropper Post, Handlebar Lever, Internal Cable Routing, 31.6mm

couleur

cyclamen´n´black

poids

24,7 kg